



- Simultaneous Electric Latch Retraction & Dogging\*
- 700 mA Inrush, 200 mA Continuous
- Quiet Mechanical and Electric Operation Patents # US 8,851,530



# **OUIET DUO™ LR100 Series available for these brands:**

• Von Duprin	• Yale	• Corbin Russwin	• Dor-O-Matic	• Hager	• Adams Rite	• Dorma
• Stanley K2	• IDC	• TownSteel	• Arrow	• PHI	• Falcon	• Detex
• Cal-Royal	• PDQ	• Falcon IR	•Marshall Best	• Sargent	• SDC	• Tell

Refer to page 2 to confirm compatibility of Rim, Mortise, Surface & Concealed Vertical Rod for each brand.

# **Application**

SECURITY SALES

The SDC LR100 Series Electric Latch Retraction Kit enables electric access control and dogging of mechanical exit devices. When energized the motor retracts the exit device latch and pulls the pushpad into the dogged (depressed) position enabling momentary or sustained push and pull operation of the door.

The latch retraction mechanism may be activated by an access control, remote control device or building automation system. The exit device always provides uninhibited egress.

# Field Installed Retrofit Kit - See page 2 for ordering information

• UL Classified for use with 3hr fire rated & non-fire rated exit devices

SDC Factory Installed Kit - See page 2 for ordering information

- UL Listed for use with 3hr fire rated & non-fire rated exit devices
- · Distributor sends exit device to SDC for kit installation



#### SDC is not a licensee of, or affiliated or connected with any of the following companies: Von Duprin, Yale, Corbin Russwin Dor-O-Matic, Dorma, Hager, Adams Rite, PHI, K2, Cal-Royal



SECURITY DOOR CONTROLS

# **Features**

- 700 mA Inrush, 200 mA Continuous @ 24VDC
- · For access control and sustained dogging applications
- Simultaneous latch retraction and dogging (pushpad depressed\*) for most exit devices
- · Pushpad is depressed\* electrically for guieter push / pull operation
- Automatic re-trigger if device does not pull on first try
  - \* IMPORTANT NOTE: Electric pushpad depression not available with Corbin Russwin, Yale, Adams Rite and Sargent

**Benefits** 

- Eliminates need for costly replacement of existing exit device
- Significantly less labor and costs compared to competitive retrofit kits
- Eliminates need for costly power supplies with high inrush circuitry. Compatible with UL Listed Access Control Power Supply
- Only 1 Amp SDC brand power supply required for up to 2 exit devices
- Low current enables longer wire runs with smaller gauge wire
- No door sequencers required for pairs of manual doors

sdcsecurity.com

service@sdcsecurity.com

Installs in Von Duprin non-fire rated panic device without removing from the door



Price & Installation







# **Ordering Information** (Brands

(Brands in alphabetical order)

Adams Rite Exit Device				
Opening for	Field Retrofit Kit		Factory Installed	
36"	LR100ARK		LR100AR	
Models				
Rim Mount		8700 /	8800 / 3700	
Surface Vertical Rod		8100 / 8200 / 3100		
Concealed V	/ertical Rod	8600 /	3600	
* Note: Petracts only the latch				

\* Note: Retracts only the latch

Arrow	1000 Series Exit Devices		
Opening for	Field Retrofit Kit		Factory Installed
36" - 48"	LR100AWK	Υ.	LR100AW
Models			
Rim Mount		S1250	
Surface Vertical Rod		S1150	

Cal-Royal Exit Devices				
Opening for	Field Retrofit Kit		Factory Installed	
36"	LR100CAK		LR100CA	
Models				
Rim Mount		7700 / F7700		
Surface Vertical Rod		7760 / F	7760	

Corbin Russwin ED Series Exit Devices				
Opening for	Field Retro	fit Kit		Factory Installed
36"	LR10	00CRK		LR100CR
42" - 48"	LR10	0CRK-42/48		LR100CR-42/48
Models				
Rim Mount		ED520		) / ED4200
Surface Vert	ical Roc	1	ED5400	)
Concealed V	ertical F	Rod	ED5800	)
Options				
LRCR1L		Latch Status	s Kit	
LRCR1R		Pushpad/Dogging S		tatus or REX Status Kit
* Note: Retracts only the latch				

Design Hardware		Exit Devices		
Opening for	Field Retrofit Kit		Factory Installed	
36"- 48"	LR100DHK		LR100DH	
Models				
Rim Mount		1000R		
Surface Vertical Rod		1000V		

Detex	Exit Device				
Opening for	Field Retrofit Kit		Factory Installed		
36"	LR100DXK		LR100DX		
Models					
Rim Mount		10 / 40 Series			
Surface Vertical Rod		20 / 50 Series			
Concealed Vertical Rod		80 / 6	60 Series		

Dorma	Exit Devices				
Opening for	Field Retrofit Kit		Factory Installed		
36"	LR100DAK		LR100DA		
Models	Models				
Rim Mount		9300			
Surface Vert	ical Rod	9400			

Falcon	24/25 Series E	Exit Dev	ices	
Opening for	Field Retrofit Kit		Factory Installed	
36"	LR100FRK		LR100FR	
Models				
Rim Mount		25-R / F	-25-R / 24-R / F-24-R	
Surface Vert	ical Rod	25-V / F	-25-V / 24-V / F-24-V	
Concealed V	ertical Rod	25-C / F	-25-C / 24-C / F-24-C	
Falcon Dor-O-Matic Exit Devices				
Opening for	Field Retrofit Kit		Factory Installed	
36"	LR100FAK		LR100FA	
Models				
Rim Mount		1790		
Concealed V	ertical Rod	1690		
Opening for	Field Retrofit Kit		Factory Installed	
36"	LR100DMK		LR100DM	
Models				
Rim Mount		1590		
Concealed V	/ertical Rod	1490		

Hager	450	4500 Series Exit Devices			
Opening for	Field Retro	d rofit Kit		Factory Installed	
36"- 48"	LR10	00HK		LR100H	
30"	LR10	00HEM		LR100HEM	
Models					
Rim Mount		4501 -		Rim	
Surface Vert	ical Roo	ł	4501 -	SVR	
Options	Options				
LRH1L Latch Status			s Kit		
LRH1R	Pushpad/Dogging			Status or REX Status Kit	

IDC (International Door Closers) 8000 Series Exit Devices					
Opening for	Field Retro	ofit Kit		Factory Installed	
36"- 48"	LR10	DOIDCK		LR100IDC	
30"	LR10	OIDCKEM		LR100IDCEM	
Models					
Rim Mount		8610 /		810 / 8510 / 8710	
Surface Vert	ical Roo	Ł	8630 / 8830 / 8530 / 8730		
Mortise			8620 / 8820		
Concealed V	Vertical Rod 8650 /		8650 / 8	) / 8850 / 8550 / 8750	
Options					
LRIDC1L		Latch Status Kit			
LRIDC1R		Pushpad/Dogging Status or REX Status Kit			

Marshall Best Exit Devices					
Opening for	Field Retrofit Kit		Factory Installed		
36"	LR100MBSK		LR100MBS		
Models	Models				
Rim Mount		Q1100	/QF1100		
Surface Vertical Rod		Q1200	/QF1200		

PDQ	Exit Devices			
Opening for	Field Retrofit Kit		Factory Installed	
36"- 48"	LR100PDQK		LR100PDQ	
Models	Models			
Rim Mount		6200R		
Surface Vert	Surface Vertical Rod		V	

PHI (Pre	PHI (Precision Hardware)			Exit Devices	
Opening for	Field Retro	ofit Kit		Factory Installed	
36"	LR10	00PDK		LR100PD	
Models					
Rim Mount			210	1 / 2400	
Surface Vert	ical Roo	1	2201		
Concealed V	/ertical l	Rod	2801 / 2600		
Rim Mount			510	5100	
Surface Vert	ical Roo	ł	520	0	
Options					
LRP1L		Latch Status Kit for PHI Rim 2000 Series		or PHI Rim 2000 Series	
LRP2L		Latch Status Kit for PHI Vertical 2000 Series			
LRP1R		REX Status or Pushpad/Dogging Status for PHI 2000 Series			

Sargent	Exit Devices		
Opening for	Field Retrofit Kit		Factory Installed
36"- 48"	LR100SGK		LR100SG
Models			
Rim Mount		8800	
Surface Vertical Rod		8700	
Concealed Vertical Rod		8600	

SDC	6000 Series Exit Devices				
Opening for	Field Retrof	l ofit Kit		Factory Installed	
36"-48"	LR10	OSDCK		LR100SDC	
30"	LR10	0SDCKEM		LR100SDCEM	
Models					
Rim Mount			S6100	S6100	
Surface Ver	tical Roo	1	S6200		
Mortise			S6300		
Concealed	Vertical F	al Rod <b>S6800</b>			
Options					
LRSDC1	_	Latch Status	s Kit		
LRSDC1	२	Pushpad/Dogging Status or REX Status Kit			

Stanley I	Stanley K2 QED Series Exit Devices				
Opening for	Field Retro	fit Kit		Factory Installed	
36"- 48"	LR10	00K2K		LR100K2	
30"	LR10	0K2KEM		LR100K2EM	
Models					
Rim Mount			QED11	1	
Surface Vert	ical Roc	od QED11		4	
Concealed V	ertical F	Rod QED12		24	
Options					
LRK2R		Latch Status and REX Status or Pushpad/ Dogging Status Kit			

Tell Mfg. Exit Devices					
Opening for	Field Retrofit Kit		Factory Installed		
36"	LR100TEK		LR100TE		
Models					
Rim Mount		9500			
Surface Vertical Rod		9400			

#### sdcsecurity.com service@sdcsecurity.com

TownSteel ED1100 Series Exit Devices			Exit Devices	
Opening for	Field Retrofit Kit		Factory Installed	
36"- 48"	LR100TSK		LR100TS	
30"	LR100TSKEM		LR100TSEM	
Models	Models			
Rim Mount		ED1	100 / ED6500	
Surface Vertical Rod		ED1200		
Concealed Vertical Rod		ED1	1300 / ED6700	

Von Duprin 22 Seri		ies Ex	kit Devices		
Opening for	Field Retrof	fit Kit		Factory Installed	
36" 48"	LR10	OVDK22		LR100VD22	
30"	LR100	VDKEM22		LR100VDEM22	
Models					
Rim Mount			22	22	
Surface Ve	rtical Roo	Rod 2		2227	
Options	\$				
LRVD1L		Latch Status Kit for Von Duprin 98/99 and 22 Series		or Von Duprin 98/99 and	
LRVD2L		Latch Status Kit for Von Duprin 33/35 Serie		or Von Duprin 33/35 Series	
LRVD1R		REX Status or Pushpad/Dogging Status for Von Duprin 98/99 and 33/35 Series			
LRVD2R		REX Status or Pushpad/Dogging Status for Von Duprin 22 Series			





# SECURITY DOOR CONTROLS

Von Dup	rin 98/99 a	nd 33/	/35 Series Exit Devices
Opening for	Field Retrofit Kit		Factory Installed
36"- 48"	LR100VDK		LR100VD
30"	LR100VDKEM		LR100VDEM
Models			
Rim Mount		98/99	
Surface Vert	ical Rod	9827/	9927
Concealed Vertical Rod 9847		9847/9947	
Mortise	9875/		9975
Three Point	latching	9857/	9957

Yale	ale 7000 Series Exit Devices			
Opening for	Field Retrofit Kit		Factory Installed	
36"	LR100YDK		LR100YD	
42" - 48"	LR100YDK-42/48		LR100YD-42/48	
Models				
Rim Mount		7100,	7102, 7200	
Surface Vert	ical Rod	7110,	7210	
Concealed V	/ertical Rod	7120,	<mark>7220</mark>	
Options				
LRY1L	Latch Statu	Latch Status Kit		
LRY1R	Pushpad/D	Pushpad/Dogging Status or REX Status Kit		
	* Note: Retracts only the late			

# **Power Supplies**

602RF 1 Amp, 12/24VDC Power Supply, UL 294 Listed For use with up to two 24VDC devices
Add one EMC sequencer for 2 single or 1 pair of automatic doors.
632RF 2 Amp, 12/24VDC Power Supply, UL 294 Listed For use with up to four 24VDC devices
Add two EMC sequencers for 4 single or 2 pairs of automatic doors

### **Two Door Sequencer**

EMC 2 Station Door Sequencer

Each EMC provides interface and sequencing for two single or one double automatic door. Not required for manual doors.

# **Power Transfer Devices**

PTH-4Q Power Transfer hinge, UL Listed, Fire Rated
PTH-10Q Power Transfer hinge, UL Listed, Fire Rated
PT-5 Mortise Power Transfer Device, UL 294 Listed, Fire Rated
PT-3V Stainless steel door loop with surface wire junction
PTM-2 Electric Power Transfer Device, (2) 18 GA wires, 5 Amp Max., UL Listed, Fire Rated
PTM-10 Electric Power Transfer Device, (10) 24 Ga. wires, 1 Amp Max., UL Listed, Fire Rated

www.sdcsecurity.com service@sdcsecurity.com

[t] 800.413.8783 805.494.0622

801 Avenida Acaso, Camarillo CA 93012 • PO Box 3670, Camarillo CA 93011-3670